: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Tuesday, 4/4/2006 1:27:35 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number Estimate Number

: 26499

: 10534

P.O. Number

Prsht Rev.

: NA

This Issue

: 4/4/2006

: NC

First Issue : 26363 **Previous Run**

: NIA

S.O. No. : NA

: MACHINED PARTS

Part Number

Drawing Name

: D2574

Drawing Number

: D2574 REV E : N/A

Project Number **Drawing Revision**

Material **Due Date**

: 4/28/2006

Qty:

8 Um:

Each

Written By Checked & Approved By

Comment

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

D6101005 1.0

7075-T7351 8.25X5.0X2.5



Comment: Qty.:

1.0000 Each(s)/Unit Total: 8.0000 Each(s)

7075-T7351 8.25X5.0X2.5

Make from D6101-005 billet for D2574 Ensure that grain is along 5.00" length

Batch No: <u>B24869</u>

2.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. <u>B2U495</u> Double check by: <u>J.L.</u>

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per

Folio FA051 and inspect per attached Dimension Sheets

- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks
- 5-Tumble to remove sharp edges.

06/05/06

3.0

MILLING CONV

CONVENTIONAL MILLING MACHINE

Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2573 & D2574

06/05/06

8

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE



8

Dart Aerospace Ltd

. oopaoo								
		WC	RK ORDER CHANGE	S				
STEP	PR	OCEDURE CHAI	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					٠,		,	.,
,								
	PAR #:	Fault Categ	Jory:					
							Date:	
		WORK ORDE	R NON-CONFORMAI	NCE (NCR	(1)			
OTED	Description of NC				Verifica	tion	Approval	Approval
SIEP	Section A	Chief Eng	Action Description Chief Eng	Sign & Date			Chief Eng	QC Inspector
								
	· · · · · · · · · · · · · · · · · · ·							
	STEP	PAR #:PAR #:	STEP PROCEDURE CHAIR PAR #: Fault Category WORK ORDER STEP Description of NC Section A Initial	WORK ORDER CHANGE PROCEDURE CHANGE PAR #: Fault Category: WORK ORDER NON-CONFORMAL STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE By PAR #: Fault Category: NCR: Yes QA: N WORK ORDER NON-CONFORMANCE (NCR STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date PAR #: Fault Category: NCR: Yes No DQA QA: N/C Closed: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC	WORK ORDER CHANGES STEP PROCEDURE CHANGE By Date Qty PAR #: Fault Category: NCR: Yes No DQA: QA: N/C Closed: WORK ORDER NON-CONFORMANCE (NCR) STEP Description of NC	STEP PROCEDURE CHANGE By Date Qty Approval Chief Eng / Prod Mgr PROCEDURE CHANGE By Date Qty Chief Eng / Prod Mgr Prod Mgr Prod Mgr Date: QA: N/C Closed: Date: QA: N/C Closed: Date: Date: Date: Date: Date: Date: Date:

NOTE: Date & initial all entries

Date: Tuesday, 4/4/2006 1:27:35 PM Kim Johnston User: **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 26499 Part Number: D2574 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK QC8 5.0 n6/0 5/09 Comment: SECOND CHECK 8 HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:_ 10.0 DOCUMENT CONTROL Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion 1

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE	STEP			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
	•								
				·					
				.					

Part No:	PAR #:	Fault Category: _	NCR: Yes	No DQA:	Date:
	· •		QA: N/	C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	Verification	Annessal	Annessal				
DATE	STEP	Section A	Initial Chief Eng	Action Description Sign Chief Eng Da	Section C	Approval Chief Eng	Approval QC Inspector				
	-										
		•									
			-								
			,								
			1		1		1				

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	26499
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.438	857.0	0.438	8<4.0		
В	1.745	1.755		0.438	1.746	1.747	1.747		
С	3.495	3.505		3500	3-498	3.497	3.496		
Δ	1.745	1.755		1.74}	1,747	1,747	1.747		
E	7.990,	8.010		8.007	8,005	8.004	8,000		
F	0.490	0.510		8.500	0.501	0.500	0,501		
G	0.257	0.262	DT8683	0.257	0.254	0.257	F7256		
Н	0.375	0.380	DT8684	0.375	0375	0.375	0.375		
1	0.490	0.510		0.496	0-497	0-498	0,497		
Ĵ	1.174	1.184		1176	1.176	1-128	1.177		
K	0.558	0.578		0566	0.566	0.567	0-568		
L	1.174	1.184		1.176	1-176	1.176.	1-177		
М	1.365	1.375		1.366	1-365	1.366	1,367		
N	2.495	2.505		2.496	2-497	2.497	9-498		
0	4.119	4.129		4.123	4.121	4.120	4.121		
Р	0.115	0.135		8.118	0.119	0-118	0-119		
Q	0.115	0.135		1.125	D. 135	0.135	0./35		
R	0.240	0.260		0.248	0-249	0.247	0-248		
S	0.115	0.135		0.121	0.122	0.121	0-139		
Т	0.178	0.198		6.189	6./88	0-188	0188		
U	3.210	3.250		3. 230	3-231	3.231	CO. 2. 330)	
V	0.230	0.250		0.240	0.242	0.241	0.242		
W	0.115	0.135		0.126	0.127	0.127	0.128		
Χ	0.307	0.312		0.308	0-309	0.399	0-310		
Υ	0.760	0.765		6.765	0-765	0.765	0.367		
Z	0.352	0.372		0.370	0 ~ 3 69	0.368	0.357		·
AA	0.470	0.530		0500	0-500	ه-رتی	0.500		
AB	0.615	0.635		0.622	0.625	0.633	0 . 629		
AC	0.053	0.073		0.063	6 063	6-063	0.063		
AD	0.240	0.260		0.244	0-244	0.241	0-240		
ΑE	1.500	1.520	·	1,507	1.515	1.514	1-513		
AF	0.115	0.135		0-135	0./35	0/35	6135		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.248	0.249	0.248	0-247		
Al	2.000	2.020		WIA	NIA	NA	NA		\$* **
AJ	0.023	0.043		0.030	0.030	0.030	0.039		
	Acc	ept/Reje	ct				· :		

Measured by: C/56	Audited by	Jn/
Date: 06/05/06	Date:	06/05/09

Rev	Date	Change	Revised by	Approved
Α `.		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	- 1
Е	05.12.05	Added dimension AJ	KJ/JLM o	Gul



DART AEROSPACE LTD	Work Order:	26499
Description: Saddle, Aft Inboard	Part Number:	D2574
Inspection Dwg: D2574 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2574 Rev. E and record below:

				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.440	0.440	0.440	0-440		
В	1.745	1.755		1-747	1.747	1.747	1-746		
С	3.495	3.505		3-498	3-498	3.447	3.496		
D	1.745	1.755		1-747	1-747	1.747	1-746		
Ε	7.990	8.010		8.004	8-003	8.002	8.004		
F	0.490	0.510	-	0.500	0.501	0.502	0.501		
G	0.257	0.262	DT8683	0.358	0.258	0.258	0.258		
Н	0.375	0.380	DT8684	0.376	0.376	0.376	0.376		
1	0.490	0.510		0.4398		0.499	0-498		
J	1.174	1.184		1.177	1.177	1-177	1-177		
K	0.558	0.578		0.568	0-568	0.569	0 - 568		
L	1.174	1.184		1.177	しハフフ	4.177	1.176		
M	1.365	1.375		1.369	1-367	1,369	1.367		
N	2.495	2.505		2.498	2-498	2.498	2,500		
0	4.119	4.129		4,120	9,121	4-120	4-119		
Р	0.115	0.135		0-130	0.122	0-121	0.134		
Q	0.115	0.135		0-131	0-129	0-129	0-130		
R	0.240	0.260		0.358	0-258	0.258	0.247		
S	0.115	0.135		0.119	0,118	0-119	0.120		
T	0.178	0.198		0-188	Ø ~) BB	0-188	0 -188		
U	3.210	3.250		3.231	0 . 188 3 . 231 0 - 231	3-230	3-231		
V	0.230	0.250		0.233	0-231	0-232	0.234		
W	0.115	0.135		0.134	00134	0-124	0-174		٦
Χ	0.307	0.312		0.311	0-311	0-312	0.317		
Υ	0.760	0.765	• •	0.761	0-761	0.312	0.312		
Z	0.352	0.372	•	0.362	0.363	0.364	0:364		
AA	0.470	0.530	. ,	O.500	0-506	0 - 500	0.300		
AB	0.615	0.635		0.627	0-629	0-630	0.627		
A'C	0.053	0.073		0.063	0-063	0.063	0-063		
AD	0.240	0.260		0.245	0.246	0.247	0-246		
AE	1.500	1.520		1 - 514	1.513	1-514	1.513		
AF	0.115	0.135		0.136	0-131	0,132	0-133		
AG	0.240	0.280		0-260	0.249	0-248	0.347		
AH	0.240	0.260			0-244	0,243	0.244		
Al	2.000	2.020	,	N/A	NIE	N/A	NIA		
AJ	0.023	0.043		0-033	0.033	0.033	0.033		
	Acc	ept/Reje	ct		_		-		

Measured by: 3.6	Audited by	5/
Date: 06105107	Date:	06/65/09

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.27	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	- 1
E	05.12.05	Added dimension AJ	KJ/JLM 🚜	911

